## NSN 5985-01-381-8521

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-381-8521
Application Design:
Transmission line
Body Material:
Any acceptable
Body Style:
1b round, terminal/terminals in opposite surface
Body Surface Treatment:
Any acceptable
Overall Length:
1.020 inches
Overall Diameter:
0.390 inches
Operating Tempurature Range:
+0.0/+85.0 degrees celsius
Voltage Standing Wave Ratio:
1.40
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
Sma
Power Rating:
2.0 watts average and 200.0 watts peak
Rf Signal Attenuation In Decibels:
3.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+40.0 gigahertz
Attenuation Accuracy In Decibels:
-0.80/+0.80
Connection Type Per Function:
Female input and male output
Mounting Method:
Connector
Terminal Type And Quantity:
2 connector
Frequency Range:

Fsc Application Data:

Antennas, waveguides, and related equipment

Between 0.000 hertz and 40.000 gigahertz

Shelf Life:

N/a

## NSN 5985-01-381-8521

Fixed Attenuator - Page 2 of 2



	Of			

--

Demilitarization:

Yes - demil/mli

Fiig:

A20000