NSN 5985-01-386-7105

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-386-7105

Application Design:		
Transmission line		
Body Style:		
Coaxial type		
Overall Length:		
7.000 inches		
Overall Height:		
2.660 inches		
Overall Width:		
3.420 inches		
End Application:		
An/alm-205b		
Voltage Standing Wave Ratio:		
1.35 and 1.65		
Coaxial Connector Series Designation:		
Sma		
Power Rating:		
2.0 watts average		
Insertion Loss At Minimum Attenuation In Maximum Decibels:		
1.5		
Overall Attenuation Range In Decibels:		
+0.0/+69.0		
Attenuation Variation Method:		
Stepped		
Step Position Quantity:		
17		
Attenuation Per Step In Decibels:		
1.0 and 10.0		
Mounting Facility Type And Quantity:		
1 free standing base		
Frequency Range:		
Between 0.000 gigahertz and 18.000 gigahertz		
Segment Attenuation Range In Decibels:		
+1.00/+9.00 and +10.00/+19.00 and +20.00/+29.00 and +30.00/+39.00 and +40.00/+49.00 and +50.00/+59.00 and +60.00/+69.00		
Segment Attenuation Accuracy In Decibels:		
-0.50/+0.50 and -1.00/+1.00 and -1.20/+1.20 and -1.40/+1.40 and -1.50/+1.50 and -1.60/+1.60 and -1.80/+1.80		
Adjustment Device Type And Quantity:		
2 knob w/dial		
Impedance Rating In Ohms:		
50.0 input-output		

1 connector, coaxial, female and 1 connector, coaxial, male

Terminal Type And Quantity:

NSN 5985-01-386-7105

Variable Attenuator - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0