NSN 5985-01-386-7105

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-386-7105

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
7.000 inches
Overall Height:
2.660 inches
Overall Width:
3.420 inches
End Application:
An/alm-205b
Voltage Standing Wave Ratio:
1.35 and 1.65
Coaxial Connector Series Designation:
Sma
Power Rating:
2.0 watts average
Insertion Loss At Minimum Attenuation In Maximum Decibels:
1.5
Overall Attenuation Range In Decibels:
+0.0/+69.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
17
Attenuation Per Step In Decibels:
1.0 and 10.0
Mounting Facility Type And Quantity:
1 free standing base
Frequency Range:
Between 0.000 gigahertz and 18.000 gigahertz
Segment Attenuation Range In Decibels:
+1.00/+9.00 and +10.00/+19.00 and +20.00/+29.00 and +30.00/+39.00 and +40.00/+49.00 and +50.00/+59.00 and +60.00/+69.00
Segment Attenuation Accuracy In Decibels:
-0.50/+0.50 and -1.00/+1.00 and -1.20/+1.20 and -1.40/+1.40 and -1.50/+1.50 and -1.60/+1.60 and -1.80/+1.80
Adjustment Device Type And Quantity:
2 knob w/dial
Impedance Rating In Ohms:
50.0 input-output

1 connector, coaxial, female and 1 connector, coaxial, male

Terminal Type And Quantity:

NSN 5985-01-386-7105

Variable Attenuator - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0