

View Online at <https://aerobasegroup.com/nsn/5985-01-389-1927>

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.896 inches first flange

Flange Inside Height:

0.396 inches first flange and 0.404 inches first flange

Flange Outside Width:

1.610 inches first flange and 1.640 inches first flange

Flange Outside Height:

1.610 inches first flange and 1.640 inches first flange

Flange Depth:

0.423 inches first flange and 0.443 inches first flange

Voltage Standing Wave Ratio:

1.500

Insertion Loss In Decibels:

0.230

Waveguide Outside Width:

Between 0.996 inches and 1.004 inches

Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

Waveguide Inside Height:

Between 0.396 inches and 0.404 inches

Waveguide Outside Height:

Between 0.496 inches and 0.504 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges first connection facility

Flange Style:

Cover type first flange

Flexibility:

Flexible single tubing segment

Material:

Copper alloy all tubing segment and flange

Style Designator:

Three bend type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A073a0