

View Online at <https://aerobasegroup.com/nsn/5985-01-396-2978>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:**

2b first flange all connection facilities

**Thread Direction:**

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:**

Corrugated single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

0.620 inches second flange and 0.624 inches second flange

**Flange Inside Height:**

0.309 inches second flange and 0.313 inches second flange

**Flange Outside Width:**

1.297 inches second flange and 1.327 inches second flange

**Flange Outside Height:**

1.297 inches first flange and 1.327 inches first flange

**Flange Depth:**

0.360 inches second flange and 0.390 inches second flange

**Flange Connecting Hole Diameter:**

0.245 inches second flange all connection facilities and 0.255 inches second flange all connection facilities

**Voltage Standing Wave Ratio:**

1.05

**Insertion Loss In Decibels:**

0.15

**Maximum Operating Pressure:**

18.0 pounds per square inch gage

**Waveguide Outside Width:**

Between 0.699 inches and 0.705 inches

**Thread Size:**

0.138 inches first flange all connection facilities

**Waveguide Inside Width:**

Between 0.619 inches and 0.625 inches

**Waveguide Inside Height:**

Between 0.308 inches and 0.314 inches

**Waveguide Outside Height:**

Between 0.388 inches and 0.394 inches

**Waveguide Longer Offset Distance:**

20.610 inches

**Flange Connecting Facility And Quantity:**

4 unthreaded hole second flange all connection facilities

**Flange Style:**

Cover type second flange

**Waveguide Offset Distance:**

4.500 inches

**Special Features:**

16.0-17.0 ghz operating frequency

**Flexibility:**

Flexible single tubing segment

**Material:**

Copper alloy all flange

**Surface Treatment:**

Primer single tubing segment inside surfaces

**Style Designator:**

Bend type

**Thread Series Designator:**

Unc first flange all connection facilities

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A073a0