## NSN 5985-01-397-1538

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-397-1538

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b all flanges all connection facilities

**Thread Direction:** 

Right-hand all flanges all connection facilities

**End Application:** 

Radar set an/apg-65

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

**Voltage Standing Wave Ratio:** 

1.20

**Maximum Operating Pressure:** 

45.0 pounds per square inch gage

**Waveguide Outside Width:** 

Between 0.996 inches and 1.004 inches

**Thread Size:** 

0.164 inches all flanges all connection facilities

Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

**Waveguide Inside Height:** 

Between 0.396 inches and 0.404 inches

**Waveguide Outside Height:** 

Between 0.496 inches and 0.504 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges all connection facilities

Waveguide First Leg Length:

4.600 inches

Waveguide Fifth Leg Length:

3.250 inches

## **NSN 5985-01-397-1538** Waveguide Assembly - Page 2 of 2



Flange Style:
Choke type all flanges
Waveguide Second Leg Length:
1.120 inches
Waveguide Sixth Leg Length:
1.290 inches
Waveguide Third Leg Length:
2.940 inches
Waveguide Fourth Leg Length:
2.190 inches
Flexibility:
Rigid fifth tubing segment
Material:
Copper alloy first tubing segment
Precious Material And Location:
Flexible waveguide section silver
Precious Material:
Silver
Surface Treatment:
Nickel first tubing segment outside surfaces
Style Designator:
Five bend type
Thread Series Designator:
Unc all flanges all connection facilities
Specification Data:
82577-8655422 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A073a0