

View Online at <https://aerobasegroup.com/nsn/5985-01-397-5524>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

2.770 inches

Overall Height:

1.870 inches

Overall Width:

1.740 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Distance Between Mounting Facility Centers:

1.625 inches

End Application:

4920-01-339-9447 adapter, test

Voltage Standing Wave Ratio:

1.50 and 1.70

Coaxial Connector Series Designation:

Sma

Power Rating:

5.0 watts average and 3.0 kilowatts peak

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

Overall Attenuation Range In Decibels:

+0.0/+20.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole

Frequency Range:

Between 8.000 gigahertz and 12.400 gigahertz

Adjustment Device Type And Quantity:

1 knob w/dial

Mounting Facility Pattern:

Two position in-line

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Specification Data:

81755-c20410 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0