# NSN 5985-01-408-9800

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-408-9800

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Tubing Wall Construction Style:**

Seamless all tubing segment

Flange Quantity:

2

#### Flange Inside Width:

1.003 inches all flanges

#### Flange Inside Height:

0.503 inches all flanges

#### Flange Outside Width:

1.625 inches all flanges

#### Flange Outside Height:

1.625 inches all flanges

#### Flange Depth:

0.438 inches all flanges

#### Flange Connecting Hole Diameter:

0.046 inches all flanges all connection facilities

# **Voltage Standing Wave Ratio:**

1.11

# **Maximum Operating Pressure:**

26.0 pounds per square inch gage

#### **Waveguide Outside Width:**

Between 0.996 inches and 1.004 inches

#### Waveguide Inside Width:

Between 0.896 inches and 0.904 inches

#### **Waveguide Inside Height:**

Between 0.396 inches and 0.404 inches

#### **Waveguide Outside Height:**

Between 0.496 inches and 0.504 inches

#### Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

#### Waveguide First Leg Length:

2.422 inches

# Flange Style:

Cover type all flanges

#### Waveguide Second Leg Length:

13.866 inches

# Waveguide Third Leg Length:

5.986 inches

#### Waveguide Fourth Leg Length:

4.028 inches

# **NSN 5985-01-408-9800** Waveguide Assembly - Page 2 of 2



Flexibility:
Rigid all tubing segment
Material:
Aluminum alloy all flange
Surface Treatment:
Paint all tubing segment outside surfaces
Style Designator:
Three bend type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0