NSN 5985-01-408-9801





View Online at https://aerobasegroup.com/nsn/5985-01-408-9801

Fixed Attenuator - Page 1 of 2 **Application Design:** Transmission line **Body Material:** Copper **Body Style:** Rectangular terminal/terminals on one surface **Body Surface Treatment:** Nickel plated **Overall Length:** 0.765 inches **Overall Height:** 0.160 inches **Overall Width:** 0.250 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.15 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Power Rating:** 30.0 watts average **Rf Signal Attenuation In Decibels:** 0.5 Voltage Standing Wave Ratio Frequency Range: +960.0/+1215.0 megahertz **Attenuation Accuracy In Decibels:** -0.125/+0.125 **Mounting Method:** Terminal **Terminal Type And Quantity:** 3 tab, solder lug **Frequency Range:** Between 960.000 megahertz and 1215.000 megahertz

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

NSN 5985-01-408-9801

Fixed Attenuator - Page 2 of 2

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A20000

