NSN 5985-01-408-9805

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-408-9805 **Application Design:** Transmission line **Body Material:** Any acceptable **Body Style:** Rectangular terminal/terminals on three surfaces **Body Surface Treatment:** Any acceptable **Overall Length:** Between 0.095 inches and 0.105 inches **Overall Height:** Between 0.005 inches and 0.015 inches **Overall Width:** Between 0.070 inches and 0.080 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **End Application:** Test set an/aim-120 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Power Rating:** 100.0 milliwatts peak **Rf Signal Attenuation In Decibels:** 11.0 **Attenuation Accuracy In Decibels:** -0.25/+0.25 **Mounting Method:** Printed circuit **Terminal Type And Quantity:** 4 surface contact Frequency Range: Between 0.000 hertz and 2.000 gigahertz **Specification Data:** 82577-6200191 manufacturers source control Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Yes - demil/mli

NSN 5985-01-408-9805

Fixed Attenuator - Page 2 of 2



Fiig:

A20000