NSN 5985-01-410-7755

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-410-7755
Application Design:
Transmission line
Body Material:
Steel
Body Style:
Rectangular, terminal/terminals on one surface
Overall Length:
Between 0.480 inches and 0.500 inches
Overall Height:
Between 0.240 inches and 0.255 inches
Overall Width:
Between 0.210 inches and 0.230 inches
Body Height:
Between 0.240 inches and 0.255 inches
Operating Tempurature Range:
-55.0/+100.0 degrees celsius
Voltage Standing Wave Ratio:
1.30 and 1.50 and 1.70
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Power Rating:
0.5 watts average
Rf Signal Attenuation In Decibels:
15.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+0.5 gigahertz and +0.5/+1.0 gigahertz and +1.0/+1.5 gigahertz
Center To Center Distance Between First And Second Terminals:
Between 0.085 inches and 0.115 inches
Center To Center Distance Between Second And Third Terminals:
Between 0.085 inches and 0.115 inches
Center To Center Distance Between Third And Fourth Terminals:
Between 0.085 inches and 0.115 inches
Mounting Method:
Terminal
Terminal Type And Quantity:
8 pin
Frequency Range:
Between 0.000 hertz and 1.500 gigahertz
Shelf Life:

N/a

NSN 5985-01-410-7755

Fixed Attenuator - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A20000