

View Online at <https://aerobasegroup.com/nsn/5985-01-414-1062>

**Frequency Rating:**

0.500 kilohertz single frequency operating and 2000.000 megahertz single frequency operating

**Unthreaded Mounting Hole Diameter:**

0.094 inches

**Switch Type:**

Nontransfer

**Voltage Standing Wave Ratio:**

1.50 single

**Insertion Loss In Decibels:**

2.00 single

**Coaxial Connector Series Designation:**

Sma

**Connector End Design:**

Female

**Minimum Crosstalk Rating In Decibels:**

60.0 single

**Actuator Operating Method:**

Solid state

**Actuator Current Type And Rating In Amps:**

Between 0.0005 dc and 0.002 dc

**Actuator Voltage In Volts:**

Between 0.0 and 5.0

**Pole Quantity:**

1

**Throw Quantity:**

2

**Coupling Position Quantity:**

3

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Mounting Facility Pattern:**

Four position rectangular single mounting facility pattern

**Material:**

Metal body

**Terminal Type And Quantity:**

1 connector, receptacle and 3 receptacle, coaxial

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A158a0