NSN 5985-01-414-2392

Thread Class:

0.141 inches **Switch Type:**

2b mounting facility hole **Frequency Rating:**

Unthreaded Mounting Hole Diameter:

Radio Frequency Transmission Line Switch - Page 1 of 2

0.0 gigahertz single frequency operating and 18.0 gigahertz single frequency operating



View Online at https://aerobasegroup.com/nsn/5985-01-414-2392

Nontransfer
Voltage Standing Wave Ratio:
1.50 3rd
Insertion Loss In Decibels:
0.50 3rd
Coaxial Connector Series Designation:
Sma
Connector End Design:
Female
Actuator Operating Method:
Relay
Actuator Current Type And Rating In Amps:
0.225 dc
Actuator Voltage In Volts:
28.0
Switch Operation Sequence:
Breaks before makes
Switch Return Mechanism Type:
Fail-safe
Coupling Position Quantity:
4
Mounting Facility Type And Quantity:
4 threaded hole and 3 unthreaded hole
Thread Size:
0.112 inches mounting facility hole
Material:
Metal body
Thread Series Designator:
Unc mounting facility hole
Terminal Type And Quantity:
1 connector, receptacle and 4 receptacle, coaxial
Shelf Life:
N/a
Unit Of Measure:

NSN 5985-01-414-2392

Radio Frequency Transmission Line Switch - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A158a0