NSN 5985-01-415-2164

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-415-2164

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2b all flanges single connection facility

Thread Direction:

Right-hand all flanges single connection facility

Bend Angle In Deg:

45.0 all bends h-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.900 inches all flanges

Flange Inside Height:

0.400 inches all flanges

Flange Outside Width:

1.625 inches all flanges

Flange Outside Height:

1.625 inches all flanges

Flange Depth:

0.438 inches all flanges

Voltage Standing Wave Ratio:

1.50

Insertion Loss In Decibels:

0.29

Waveguide Outside Width:

1.000 inches

Thread Size:

0.164 inches all flanges single connection facility

Waveguide Inside Width:

0.900 inches

Waveguide Inside Height:

0.400 inches

Waveguide Outside Height:

0.500 inches

Flange Connecting Facility And Quantity:

4 threaded hole all flanges single connection facility

Flange Style:

Choke type all flanges

Waveguide Length:

9.250 inches

NSN 5985-01-415-2164 Waveguide Assembly - Page 2 of 2



Waveguide Center To Center Distance:
6.600 inches
Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy all tubing jacket
Style Designator:
Offset bend type
Thread Series Designator:
Unc all flanges single connection facility
Specification Data:
43999-le412-0402 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0