## NSN 5985-01-415-2180

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-415-2180

Internal, rectangular external, rectangular

**Thread Class:** 

2b second flange single connection facility

**Thread Direction:** 

Right-hand second flange single connection facility

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.705 inches first flange

Flange Inside Height:

0.394 inches second flange

Flange Outside Width:

1.313 inches first flange

Flange Outside Height:

1.312 inches second flange

Flange Depth:

0.375 inches second flange

### Flange Connecting Hole Diameter:

0.169 inches first flange single connection facility and 0.172 inches first flange single connection facility

**Voltage Standing Wave Ratio:** 

1.11

#### **Waveguide Outside Width:**

0.702 inches

Thread Size:

0.138 inches second flange single connection facility

**Waveguide Inside Width:** 

0.622 inches

**Waveguide Inside Height:** 

0.311 inches

**Waveguide Outside Height:** 

0.391 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole first flange single connection facility

Flange Style:

Cover type first flange

Waveguide Length:

4.500 inches

#### **Special Features:**

Item comes as a matched pair of two (2) waveguides consisting of part numbers 685795-1 and 685795-301 (cage 20418)..

# NSN 5985-01-415-2180

Waveguide Assembly - Page 2 of 2



Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy single tubing segment and flange
Style Designator:
Straight type
Thread Series Designator:
Unc second flange single connection facility
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0