## NSN 5985-01-415-6832

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-415-6832

### **Cross Sectional Shape:**

Internal, rectangular double ridged external, rectangular

**Thread Class:** 

2a all flanges third connection facility

**Thread Direction:** 

Right-hand all flanges third connection facility

Bend Angle In Deg:

45.0 second bend e-plane

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.720 inches all flanges

Flange Inside Height:

0.321 inches all flanges

Flange Outside Width:

1.375 inches all flanges

Flange Outside Height:

1.375 inches all flanges

Flange Depth:

0.245 inches all flanges

#### Flange Connecting Hole Diameter:

0.096 inches all flanges first connection facility and 0.097 inches all flanges first connection facility

#### **Waveguide Outside Width:**

0.820 inches

**Thread Size:** 

0.138 inches all flanges third connection facility

**Waveguide Inside Width:** 

0.720 inches

**Waveguide Inside Height:** 

0.321 inches

**Waveguide Outside Height:** 

0.421 inches

Flange Connecting Facility And Quantity:

4 threaded stud all flanges third connection facility

Flange Style:

Contact, double ridge type all flanges

Waveguide Length:

23.700 inches

**Waveguide Center To Center Distance:** 

6.410 inches

# **NSN 5985-01-415-6832** Waveguide Assembly - Page 2 of 2



Flexibility:
Rigid first tubing segment
Material:
Aluminum alloy all tubing segment
Style Designator:
Offset bend type
Thread Series Designator:
Unc all flanges third connection facility
Specification Data:
43999-le413-0410 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: A073a0