NSN 5985-01-415-8367

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-415-8367

Cross Sectional Shape:

Internal, rectangular double ridged external, rectangular

Thread Class:

2a first flange third connection facility

Thread Direction:

Right-hand first flange third connection facility

Bend Angle In Deg:

55.0 third bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.720 inches all flanges

Flange Inside Height:

0.321 inches all flanges

Flange Outside Width:

1.375 inches all flanges

Flange Outside Height:

1.375 inches all flanges

Flange Depth:

0.245 inches all flanges

Flange Connecting Hole Diameter:

0.144 inches second flange second connection facility and 0.149 inches second flange second connection facility

Waveguide Outside Width:

0.820 inches

Thread Size:

0.138 inches first flange third connection facility

Waveguide Inside Width:

0.720 inches

Waveguide Inside Height:

0.321 inches

Waveguide Outside Height:

0.421 inches

Waveguide Longer Offset Distance:

23.390 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole second flange second connection facility

Flange Style:

Contact, double ridge type all flanges

Waveguide Offset Distance:

6.340 inches

NSN 5985-01-415-8367 Waveguide Assembly - Page 2 of 2



Flexibility:
Rigid single tubing segment
Material:
Aluminum alloy single tubing segment
Style Designator:
Corner type
Thread Series Designator:
Unc first flange third connection facility
Specification Data:
43999-le413-0406 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A073a0