NSN 5985-01-422-2552

Radio Frequency Transmission Line Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-422-2552 **Body Style:** Rectangular **Overall Length:** 2.380 inches **Overall Height:** 2.750 inches **Overall Width:** 0.900 inches Frequency Rating: 0.0 gigahertz single frequency operating and 3.0 gigahertz single frequency operating **Unthreaded Mounting Hole Diameter:** 0.141 inches Switch Type: Nontransfer **Distance Between Mounting Facility Centers:** 2.500 inches single mounting facility pattern **Voltage Standing Wave Ratio:** 1.20 single **Insertion Loss In Decibels:** 0.20 single **Coaxial Connector Series Designation:** Tnc **Connector End Design:** Female Minimum Crosstalk Rating In Decibels: 80.0 single **Actuator Operating Method: Actuator Current Type And Rating In Amps:** 0.2 dc **Actuator Voltage In Volts: Switch Operation Sequence:** Breaks before makes **Switching Time:** 15.0 milliseconds Switch Return Mechanism Type: Fail-safe **Pole Quantity:**

Throw Quantity:

NSN 5985-01-422-2552

Radio Frequency Transmission Line Switch - Page 2 of 2



Coupling Position Quantity:	
3	
Mounting Facility Type And Quantity:	
2 unthreaded hole	
Mounting Facility Pattern:	
Two position in-line single mounting facility pattern	
Material:	
Copper alloy contact (s)	
Precious Material And Location:	
Center contact surfaces gold	
Precious Material:	
Gold	
Terminal Type And Quantity:	
3 receptacle, coaxial and 5 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
Yes - demil/mli	
Fiig:	
M1E0a0	