NSN 5985-01-424-0573

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-424-0573

Application Design:
Transmission line
Body Material:
Metal
Body Style:
Rectangular, terminal/terminals on opposite surfaces
Overall Length:
6.890 inches
Overall Height:
3.060 inches
Overall Width:
3.060 inches
Mounting Hole/stud Quantity:
8
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Voltage Standing Wave Ratio:
1.10
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
N
Power Rating:
150.0 watts average and 10.0 kilowatts peak
Rf Signal Attenuation In Decibels:
3.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+1.5 gigahertz
Mounting Facility Thread Size And Series/type Designator:
0.138 in-32 unc-2b unc
Connection Type Per Function:
Male input and male output
Mounting Method:
Threaded hole
Terminal Type And Quantity:
2 connector
Frequency Range:
Between 0.000 hertz and 1.500 gigahertz
Special Features:

Female contact is gold plated

NSN 5985-01-424-0573

Fixed Attenuator - Page 2 of 2



Precious	Material	∆nd I	Location:
riecious	ivialeriai	Allu	LUCALIUII.

Contact surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A20000