## NSN 5985-01-432-0860

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-432-0860

View Online at https://aerobasegroup.com/nsn/5985-01-432-0860
Cross Sectional Shape:
Internal, rectangular external, rectangular
End Application:
Ecm system countermeasures set, model an/alq-505
Tubing Wall Construction Style:
Corrugated single tubing segment
Flange Quantity:
2
Flange Inside Width:
1.422 inches all flanges
Flange Inside Height:
0.400 inches all flanges
Flange Outside Width:
1.551 inches all flanges
Flange Outside Height:
1.630 inches all flanges
Flange Depth:
0.437 inches all flanges
Flange Connecting Hole Diameter:
0.169 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities
Maximum Operating Pressure:
45.0 pounds per square inch gage
Waveguide Outside Width:
1.630 inches
Waveguide Inside Width:
0.900 inches
Waveguide Inside Height:
0.400 inches
Waveguide Outside Height:
0.506 inches
Flange Connecting Facility And Quantity:
4 unthreaded hole all flanges all connection facilities
Flange Style:
Cover type all flanges

Waveguide Length:

5.875 inches

**Specified Frequency:** 

Between 8.2 gigahertz and 12.4 gigahertz

Flexibility:

Flexible single tubing segment

Material:

Rubber silicone second tubing jacket

## **NSN 5985-01-432-0860** Waveguide Assembly - Page 2 of 2



Precious Material And Location:
Internal surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver all tubing segment inside surfaces
Style Designator:
Straight type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A073a0