## NSN 5985-01-433-2820

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-433-2820 **Application Design:** Transmission line **Body Material:** Steel, stainless **Body Style:** Err-090 **Body Surface Treatment:** Passivated **Overall Length:** 22.0 millimeters **Overall Diameter:** 7.0 millimeters **Voltage Standing Wave Ratio:** 1.22 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma Rf Signal Attenuation In Decibels: 6.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+20.0 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Connection Type Per Function:** Female input and male output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 20.000 gigahertz **Specification Data:** 28480-0955-0462 manufacturers specification control Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-433-2820

Fixed Attenuator - Page 2 of 2



Fiig:

A20000