

View Online at <https://aerobasegroup.com/nsn/5985-01-435-1920>

**Body Style:**

Rectangular

**Frequency Rating:**

2.0 gigahertz single frequency operating and 8.0 gigahertz single frequency operating

**Unthreaded Mounting Hole Diameter:**

Between 0.127 inches and 0.137 inches

**Switch Type:**

Nontransfer

**Intermediate Horizontal Distance Between Mounting Centers:**

1.250 inches single mounting facility pattern

**Voltage Standing Wave Ratio:**

1.70 single

**Insertion Loss In Decibels:**

2.50 single

**Coaxial Connector Series Designation:**

Sma

**Connector End Design:**

Female

**Minimum Crosstalk Rating In Decibels:**

45.0 single

**Actuator Operating Method:**

Solid state

**Switching Time:**

200.0 nanoseconds

**Pole Quantity:**

1

**Throw Quantity:**

3

**Coupling Position Quantity:**

3

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Mounting Facility Pattern:**

Four position trapezoid single mounting facility pattern

**Terminal Type And Quantity:**

3 connector, receptacle and 5 pin

**Specification Data:**

31395-scd177302 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A158a0