

View Online at <https://aerobasegroup.com/nsn/5985-01-443-0263>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Tubing Wall Construction Style:**

Seamless all tubing segment

**Tubing Twist Type:**

Straight twist all tubing segment

**Flange Quantity:**

2

**Voltage Standing Wave Ratio:**

1.10

**Insertion Loss In Decibels:**

0.17

**Maximum Operating Pressure:**

30.0 pounds per square inch gage

**Waveguide Outside Width:**

1.000 inches

**Waveguide Inside Width:**

0.900 inches

**Waveguide Inside Height:**

0.400 inches

**Waveguide Outside Height:**

0.500 inches

**Waveguide Longer Offset Distance:**

14.550 inches

**Flange Connecting Facility And Quantity:**

4 unthreaded hole all flanges all connection facilities

**Flange Style:**

Cover type all flanges

**Waveguide Offset Distance:**

7.360 inches

**Specified Frequency:**

Between 8.2 gigahertz and 12.3 gigahertz

**Special Features:**

Exterior surfaces finished black oxide

**Flexibility:**

Rigid all tubing segment

**Material:**

Copper alloy single tubing segment

**Style Designator:**

Bend type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A073a0