## NSN 5985-01-443-6199

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-443-6199

Cross Sectional Shape:			
Internal, rectangular external, rectangular			
Bend Angle In Deg:			
90.0 single bend h-plane			
End Application:			
Coast guard hu-25 slar system			
Tubing Wall Construction Style:			
Seamless first tubing segment			
Flange Quantity:			
2			
Flange Inside Width:			
0.900 inches all flanges			
Flange Inside Height:			
0.400 inches all flanges			
Flange Outside Width:			
1.630 inches all flanges			
Flange Outside Height:			
1.630 inches all flanges			
Flange Depth:			
0.160 inches all flanges			
Flange Connecting Hole Diameter:			
0.171 inches all flanges all connection facilities			
Waveguide Outside Width:			
1.000 inches			
Waveguide Inside Width:			
0.900 inches			
Waveguide Inside Height:			
0.400 inches			
Waveguide Outside Height:			
0.500 inches			
Waveguide Longer Offset Distance:			
36.000 inches			
Flange Connecting Facility And Quantity:			
4 unthreaded hole all flanges all connection facilities			
Flange Style:			
Cover type all flanges			
Waveguide Offset Distance:			

**Special Features:** 

2.500 inches

This item features a flexible tube approx. 5 in. Long attached to the rigid tube segment with a coupling

Flexibility:

Rigid first tubing segment

## NSN 5985-01-443-6199

Waveguide Assembly - Page 2 of 2



	eria	

Copper alloy all tubing segment and flange

**Surface Treatment:** 

Paint all tubing segment and flange outside surfaces

**Style Designator:** 

Bend type

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0