## NSN 5985-01-483-7777

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-483-7777 **Application Design:** Transmission line **Body Material:** Any acceptable **Body Style:** Rectangular, terminal/terminals on opposite surfaces **Body Surface Treatment:** Any acceptable **Overall Length:** 3.720 inches **Overall Height:** 0.990 inches **Overall Width:** 0.990 inches **Operating Tempurature Range:** -65.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.25 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Power Rating:** 20.0 watts average and 500.0 watts peak **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+8.0 gigahertz **Attenuation Accuracy In Decibels:** -0.75/+0.75 **Mounting Method:** Connector **Terminal Type And Quantity:** 2 ferrule Frequency Range: Between 0.000 hertz and 8.000 gigahertz Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-483-7777

Fixed Attenuator - Page 2 of 2



Fiig:

A20000