NSN 5985-01-497-4306

Antenna - Page 1 of 1

Fiig: A074a0



| view Online at https://aerobasegroup.com/nsn/5965-01-497-4506 |
|--|
| Mounting Hole Quantity: |
| 1 |
| Frequency Rating: |
| 1.600 megahertz single antenna element and 30.000 megahertz single antenna element |
| Operating Tempurature Range: |
| -60.0/+150.0 degrees fahrenheit |
| End Application: |
| Nsn: 5895-01-476-4132, command system tactical |
| Coaxial Connector Series Designation: |
| Bnc single antenna element |
| Connector End Design: |
| Socket single antenna element |
| Radiation Pattern: |
| Omnidirectional single antenna element |
| Power Rating: |
| 500.000 watts average single antenna element |
| Characteristic Impedance In Ohms: |
| 50.0 single antenna element |
| Beam Scanning Method: |
| Fixed single antenna element |
| Design Type: |
| Dipole single antenna element |
| Mounting Method: |
| Connector |
| Terminal Type: |
| Receptacle, coaxial single antenna element |
| Special Features: |
| Mfg name: multirole tactical antenna-extra light; hf, nvis, ground or mast mtd; pvc coated, kevlar cored, braided copper wire antenna with |
| center junction and 30 ft of rg58 coax; supplied in hvy duty zipped canvas bag |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |