## NSN 5985-01-497-6697



Fixed Attenuator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5985-01-497-6697 **Application Design:** Waveguide **Body Material:** Copper **Body Style:** Rectangular, terminal/terminals on opposite surfaces **Overall Length:** 3.630 inches **Overall Height:** 0.975 inches **Overall Width:** 1.295 inches **Inside Width:** Between 0.2225 inches and 0.2255 inches **Inside Height:** Between 0.1105 inches and 0.1135 inches **End Application:** Oe-562/usc-3 (v) antenna group; next assembly g608299 and g745287 used on hdr **Voltage Standing Wave Ratio:** 1.20 **Power Rating:** 0.5 watts average **Rf Signal Attenuation In Decibels:** 8.0 **Voltage Standing Wave Ratio Frequency Range:** +43.5/+45.5 gigahertz Waveguide Flange Type: Cover **Waveguide Flange Designation:** Ug383/u **Unpackaged Unit Weight:** 2.000 ounces **Terminal Type And Quantity:** 2 flange Frequency Range: Between 43.000 gigahertz and 45.500 gigahertz **Special Features:** Dwg title: attenuator, detector, q-band Shelf Life:

\_\_

N/a

**Unit Of Measure:** 

## NSN 5985-01-497-6697

Fixed Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A20000