NSN 5985-01-503-1523

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-503-1523

Cross Sectional Shape:

Internal, rectangular external, rectangular

End Application:

Next assembly 43140-00341-1 used on an/spn-35c; wsd: radar and iff system

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

1.252 inches all flanges and 1.258 inches all flanges

Flange Inside Height:

0.627 inches all flanges and 0.633 inches all flanges

Flange Outside Width:

1.860 inches all flanges and 1.890 inches all flanges

Flange Outside Height:

1.860 inches all flanges and 1.890 inches all flanges

Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

Flange Connecting Hole Diameter:

0.169 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities

Waveguide Outside Width:

1.125 inches

Waveguide Inside Width:

1.122 inches

Waveguide Inside Height:

0.497 inches

Waveguide Outside Height:

0.625 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Center To Center Distance:

3.260 inches

Waveguide Height:

3.000 inches

Specified Frequency:

Between 7.05 gigahertz and 10.00 gigahertz

Special Features:

Short leg is 2.20 inches, long leg is 3.00 inches

Flexibility:

Rigid all tubing segment

NSN 5985-01-503-1523

Waveguide Assembly - Page 2 of 2



Material:

Aluminum alloy 6061 all tubing segment and flange

Style Designator:

Double bend type

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0