NSN 5985-01-503-1547

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-503-1547

Cross Sectional Shape:

Internal, rectangular external, rectangular

Bend Angle In Deg:

90.0 single bend e-plane

End Application:

Next assembly 43140-00341-1 used on an/spn-35c; wsd: radar and iff system

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.252 inches all flanges and 1.258 inches all flanges

Flange Inside Height:

0.627 inches all flanges and 0.633 inches all flanges

Flange Outside Width:

1.860 inches all flanges and 1.890 inches all flanges

Flange Outside Height:

1.860 inches all flanges and 1.890 inches all flanges

Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

Flange Connecting Hole Diameter:

0.169 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities

Waveguide Outside Width:

1.250 inches

Waveguide Inside Width:

1.122 inches

Waveguide Inside Height:

0.497 inches

Waveguide Outside Height:

0.625 inches

Waveguide Longer Offset Distance:

Between 1.470 inches and 1.530 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Offset Distance:

Between 1.470 inches and 1.530 inches

Specified Frequency:

Between 7.05 gigahertz and 10.00 gigahertz

Flexibility:

Rigid single tubing segment

NSN 5985-01-503-1547

Waveguide Assembly - Page 2 of 2



ate	

Aluminum alloy 6061 all tubing segment and flange

Style Designator:

Bend type

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A073a0