NSN 5985-01-505-9136

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-505-9136

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
6.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.875 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.062 inches
Overall Height:
1.313 inches
Overall Width:
1.375 inches
Coaxial Connector Series Designation:
Bnc
Mounting Facility Screw Thread Series Designator:
Unc
Overall Attenuation Range In Decibels:
+0.0/+102.5
Attenuation Variation Method:
Stepped
Step Position Quantity:
9
Attenuation Per Step In Decibels:
0.5 and 1.0
Mounting Facility Type And Quantity:
4 threaded hole
Frequency Range:
Between 0.000 hertz and 500.000 megahertz
Mounting Thread Quantity:
56 per inch
Adjustment Device Type And Quantity:
9 knob
Mounting Facility Pattern:
Four position rectangular
Mounting Facility Screw Thread Diameter:
2.000 inches
Impedance Rating In Ohms:
75.0 input-output
Terminal Type And Quantity:

2 connector, coaxial, female

NSN 5985-01-505-9136

Variable Attenuator - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0