

View Online at <https://aerobasegroup.com/nsn/5985-01-508-9960>

Cross Sectional Shape:

Internal, rectangular external, rectangular

End Application:

Ab1383a/bps-1 (v) , mast assembly; wsd: seawolf class ssn

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

0.896 inches all flanges and 0.904 inches all flanges

Flange Inside Height:

0.396 inches all flanges and 0.404 inches all flanges

Flange Outside Width:

1.610 inches all flanges and 1.640 inches all flanges

Flange Outside Height:

1.610 inches all flanges and 1.640 inches all flanges

Flange Depth:

0.423 inches all flanges and 0.453 inches all flanges

Flange Connecting Hole Diameter:

0.166 inches all flanges all connection facilities and 0.172 inches all flanges all connection facilities

Voltage Standing Wave Ratio:

1.06

Insertion Loss In Decibels:

0.85

Flange Connecting Facility And Quantity:

8 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Length:

172.350 inches

Specified Frequency:

Between 9.2 gigahertz and 9.6 gigahertz

Flexibility:

Rigid all tubing segment

Material:

Copper alloy all tubing segment

Style Designator:

Straight type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A073a0