NSN 5985-01-559-1900

Fixed Attenuator - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-01-559-1900 **Application Design:** Waveguide **Body Style:** Rectangular, terminal/terminals on opposite surfaces **Overall Length:** 10.220 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 7.660 inches **Center To Center Distance Between Mounting Facilities Parallel To Width:** 1.812 inches **Overall Height:** 4.310 inches **Overall Width:** 5.460 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **End Application:** Rf and microwave equipment for spanish air force **Coaxial Connector Series Designation: Rf Signal Attenuation In Decibels:** 40.0 Mounting Facility Thread Size And Series/type Designator: 10-32 unf **Connection Type Per Function:** Female input and female output **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 2.500 gigahertz **Product Name:** High power fixed coaxial attenuator **Special Features:** Quality connectors with special high temperature support beads; designed to meet environmental requirements of mil-a-3933; flexible mounting position (horizontal or vertical); low intermodulation distortion option Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Fiig:

A20000

Yes - demil/mli