NSN 5985-01-560-0531

Fixed Attenuator - Page 1 of 1

No Fiig: A20000



View Online at https://aerobasegroup.com/nsn/5985-01-560-0531 **Application Design:** Transmission line **Operating Tempurature Range:** -40.0/+40.0 degrees celsius **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Ν **Power Rating:** 100.0 watts average Rf Signal Attenuation In Decibels: 20.0 **Voltage Standing Wave Ratio Frequency Range:** +1.0/+2.4 gigahertz **Frequency Sensitivity Attenuation In Decibels:** 0.60 **Connection Type Per Function:** Female input Frequency Range: Between 0.000 hertz and 1.000 gigahertz **Product Name:** 100 watt bi-directional convection-cooled **Special Features:** Operating position: verical; weight: 4.3 lbs; size: 6.4 inch (height) x 2.6 inch (width) x 6.8 inch (depth); frequency range and vswr: dc to 1 ghz at 1.10: 1 max., 1 ghz to 2.4 ghz at 1.25: 1 max.; finish: black anodized, tri-alloy plated connectors Shelf Life: N/a **Unit Of Measure: Demilitarization:**