

View Online at <https://aerobasegroup.com/nsn/5985-01-580-2595>

**Application Design:**

Transmission line

**Body Material:**

Aluminum alloy

**Body Style:**

Irregular

**Overall Length:**

1.250 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.000 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.000 inches

**Overall Height:**

0.750 inches

**Overall Width:**

1.250 inches

**Unthreaded Mounting Hole Diameter:**

0.125 inches

**Operating Temperature Range:**

-55.0/+100.0 degrees celsius

**End Application:**

Cabinet, 10 ch low power 9002419-8; wsd: los angeles class ssn (688)

**Voltage Standing Wave Ratio:**

1.50 and 1.60

**Coaxial Connector Series Designation:**

Sma

**Attenuation Variation Method:**

Stepped

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Frequency Range:**

Between 10.000 megahertz and 1000.000 megahertz

**Mounting Facility Pattern:**

Two position diagonal

**Impedance Rating In Ohms:**

50.0 input-output

**Product Name:**

Digital step attenuator

**Terminal Type And Quantity:**

1 pin and 2 connector, coaxial, female and 5 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A223a0