# NSN 5985-01-613-7295

Fixed Attenuator - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-01-613-7295

# Application Design:

Transmission line

#### **Body Material:**

Steel, stainless

#### Body Style:

1b round, terminal/terminals in opposite surface

#### **Body Surface Treatment:**

Passivated

#### **Overall Length:**

1.33 inches

#### **Overall Diameter:**

0.360 inches

#### **Operating Tempurature Range:**

-65.0 to 125.0 degrees celsius

#### **End Application:**

Threat emitte

#### Voltage Standing Wave Ratio:

1.25 and 1.45 and 1.65

#### **Coaxial Connector Series Designation:**

Sma

#### **Power Rating:**

2.0 watts average and 200.0 watts peak

#### **Rf Signal Attenuation In Decibels:**

5.0

# Voltage Standing Wave Ratio Frequency Range:

+0.0 to 4.0 gigahertz and +4.0 to 12.4 gigahertz and +12.4 to 18.0 gigahertz

# **Connection Type Per Function:**

Female input and male output

# Mounting Method:

Connector

# Terminal Type And Quantity:

2 connector

# Frequency Range:

Between 0.0 hertz and 18.0 gigahertz

# Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A20000