NSN 5990-00-006-5760

Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-006-5760 **Body Material:** Steel, stainless **Body Style:** Standard round c **Shoulder Diameter:** Between 0.9995 inches and 1.0000 inches **Pilot Diameter:** Between 0.6245 inches and 0.6250 inches **Overall Length:** Between 2.3480 inches and 2.3720 inches Flange Diameter: Between 1.0600 inches and 1.0650 inches Flange Thickness: 0.0930 inches **Undercut Diameter:** Between 0.9700 inches and 0.9800 inches **Undercut Width:** 0.0500 inches **Shaft Diameter:** 0.1195 inches single shaft and 0.1200 inches single shaft **Shaft Length:** 0.5520 inches single shaft and 0.5760 inches single shaft **Fragility Factor:** Moderately rugged **Body Size:** 11 **Rotor Input Voltage Rating In Volts:** 26.0 Frequency In Hertz: 400.0 **Rotor Input Current Rating:** 280.0 milliamperes **Rotor Input Electrical Power Rating:** 950.0 milliwatts **Zro Impedance Magnitude In Ohms:** 18.10 **Zro Impedance Angle In Deg:** 78.50 **Zso Impedance Magnitude In Ohms:** Zso Impedance Angle In Deg:

81.70

NSN 5990-00-006-5760 Transmitter Synchro - Page 2 of 2



| Rotor Dc Resistance In Ohms: |
|---|
| 9.00 |
| Stator Dc Resistance In Ohms: |
| 3.00 |
| Maximum Fundamental Null Voltage In Millivolts Per Volt: |
| 17.00 output |
| Maximum Total Null Voltage Output In Millivolts Per Volt: |
| 26.00 |
| Electrical Error Angular Range In Minutes: |
| -10.0 to 10.0 |
| Actuator Friction Torque At Minus 55 Deg Celsius: |
| 16.0 centimeter-grams |
| Actuator Friction Torque At Plus 25 Deg Celsius: |
| 4.0 centimeter-grams |
| Pilot Length: |
| Between 0.0590 inches and 0.0650 inches |
| Shoulder Length: |
| Between 0.0570 inches and 0.0670 inches |
| Mounting Surface To Terminal End Distance: |
| Between 1.7910 inches and 1.8010 inches |
| Terminal Location: |
| Rear |
| Shaft Slot Depth: |
| 0.0250 inches single shaft and 0.0350 inches single shaft |
| Shaft Slot Width: |
| 0.0200 inches single shaft and 0.0300 inches single shaft |
| Shaft Type: |
| Round, slotted single shaft |
| Transformation Ratio: |
| 0.454 rotor to stator |
| Terminal Type And Quantity: |
| 5 screw |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A07800 |
| |