

View Online at <https://aerobasegroup.com/nsn/5990-00-013-6862>

Body Material:

Aluminum

Body Style:

Standard round c

Shoulder Diameter:

1.0000 inches

Pilot Diameter:

0.5000 inches

Overall Length:

1.8630 inches

Flange Diameter:

1.0620 inches

Flange Thickness:

0.0620 inches

Undercut Diameter:

0.9750 inches

Undercut Width:

0.0810 inches

Shaft Diameter:

0.1200 inches single shaft

Shaft Length:

0.1560 inches single shaft

Schematic Diagram Designator:

1 y-rotor, 1 y-stator

Fragility Factor:

Moderately rugged

Body Size:

11

Stator Input Voltage Rating In Volts:

11.8

Stator Input Current Rating:

131.0 milliamperes

Stator Input Electrical Power Rating:

220.0 milliwatts

Frequency In Hertz:

400.0

Zro Resistance In Ohms:

14.00

Zso Resistance In Ohms:

12.90

Zrs Resistance In Ohms:

14.00

Rotor Dc Resistance In Ohms:

10.80

Stator Dc Resistance In Ohms:

8.50

Phase Shift Angle In Deg:

5.000 output to input

Maximum Total Null Voltage Output In Millivolts Per Volt:

30.00

Electrical Error Angular Range In Minutes:

-12.0/+12.0

Actuator Friction Torque At Minus 55 Deg Celsius:

16.0 centimeter-grams

Actuator Friction Torque At Plus 25 Deg Celsius:

4.0 centimeter-grams

Shaft Radial Play Test Point:

0.125 inches

Shaft Maximum Radial Play:

0.0005 inches

Shaft End Play:

Between 0.0003 inches and 0.0008 inches

Pilot Length:

0.0620 inches

Shoulder Length:

0.0620 inches

Mounting Surface To Terminal End Distance:

1.6400 inches

Shaft Maximum Runout:

0.0010 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

73.70

Shaft Slot Depth:

0.0320 inches single shaft

Plus J Zso Reactance In Ohms:

76.70

Shaft Slot Width:

0.0320 inches single shaft

Plus J Zrs Reactance In Ohms:

6.80

Shaft Type:

Round, slotted single shaft

Shaft Radial Play Determining Weight:

4.0 ounces

Shaft End Play Determining Weight:

8.0 ounces

Terminal Type And Quantity:

6 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800