NSN 5990-00-060-1667

Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-060-1667 **Body Material:** Any acceptable **Body Style:** Standard round c **Shoulder Diameter:** Between 0.9995 inches and 1.0000 inches **Pilot Diameter:** Between 0.6245 inches and 0.6250 inches **Overall Length:** 2.3350 inches Flange Diameter: Between 1.0610 inches and 1.0620 inches Flange Thickness: 0.0930 inches **Undercut Diameter:** 0.9750 inches **Undercut Width:** 0.0500 inches **Shaft Diameter:** 0.1195 inches single shaft and 0.1200 inches single shaft **Shaft Length:** 0.3600 inches single shaft and 0.3900 inches single shaft **Fragility Factor:** Moderately rugged **Body Size:** 11 **Rotor Input Voltage Rating In Volts:** 26.0 Frequency In Hertz: 400.0 **Rotor Input Current Rating:** 90.0 milliamperes **Rotor Input Electrical Power Rating:** 400.0 milliwatts **Pilot Length:** Between 0.0500 inches and 0.0590 inches **Shoulder Length:** Between 0.0590 inches and 0.0650 inches **Mounting Surface To Terminal End Distance:** 1.8350 inches **Terminal Location:**

Rear

NSN 5990-00-060-1667

Transmitter Synchro - Page 2 of 2



S	h	af	fŧ	S	ot	D	6	n	th	١.
J	11	a	ıι	J	Uι	$\boldsymbol{\nu}$	C	N	u	ı.

0.0220 inches single shaft and 0.0320 inches single shaft

Shaft Slot Width:

0.0220 inches single shaft and 0.0320 inches single shaft

Shaft Type:

Round, slotted single shaft

Transformation Ratio:

0.454 rotor to stator

Terminal Type And Quantity:

5 screw

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A07800