NSN 5990-00-060-2321

Between 1.9850 inches and 1.9900 inches

Body Material:
Steel, stainless
Body Style:
Standard round d
Shoulder Diameter:

Pilot Diameter:

Control Transformer Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-060-2321

0.5950 inches
Second Shoulder Diameter:
Between 1.9985 inches and 1.9995 inches
Second Shoulder Length:
0.1700 inches
Overall Length:
4.2990 inches
Flange Diameter:
Between 2.2490 inches and 2.2500 inches
Flange Thickness:
0.2500 inches
Body Diameter:
1.9900 inches
Shaft Diameter:
0.2403 inches single shaft and 0.2405 inches single shaft
Shaft Length:
0.7190 inches single shaft
Fragility Factor:
Moderately rugged
Maximum Tempurature Rise:
10.0 degrees celsius
Body Size:
23
Stator Input Voltage Rating In Volts:
90.0
Stator Input Current Rating:
18.5 milliamperes
Stator Input Electrical Power Rating:
400.0 milliwatts
Frequency In Hertz:
60.0
Zso Impedance Magnitude In Ohms:
Between 4200.00 and 5100.00
Zso Impedance Angle In Deg:
Between 70.00 and 76.00

NSN 5990-00-060-2321

Control Transformer Synchro - Page 2 of 3



Zrs Impedance Magnitude In Ohms:
Between 1350.00 and 1650.00
Zrs Impedance Angle In Deg:
Between 14.00 and 20.00
Phase Shift Angle In Deg:
14.000 input to output
Maximum Fundamental Null Voltage In Millivolts Per Volt:
30.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
45.00
Electrical Error Angular Range In Minutes:
-6.0 to 6.0
Spline Tooth Quantity:
22 single shaft
Actuator Friction Torque At Plus 25 Deg Celsius:
0.20 inch-ounces
Shaft Radial Play Test Point:
0.125 inches
Shaft Maximum Radial Play:
0.0010 inches
Shaft End Play:
0.0025 inches
Pilot Length:
0.0430 inches
Shoulder Length:
0.2500 inches
Aft Of First Flange Diameter:
Between 1.9985 inches and 1.9995 inches
Mounting Surface To Terminal End Distance:
3.5800 inches
Spline Tooth Diametral Pitch:
96 single shaft
Shaft Maximum Runout:
0.0008 inches
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
2a
Terminal Location:
Rear

0.2900 inches single shaft

Shaft Thread Length:

NSN 5990-00-060-2321

Shaft Type:

Fiig: A07800

Control Transformer Synchro - Page 3 of 3



Spline w/threads single shaft
Transformation Ratio:
0.735 rotor to stator
Shaft Thread Size:
0.250 inches single shaft
Test Data Document:
81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
5 screw
Specification Data:
81349-mil-s-20708/53 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli