

View Online at <https://aerobasegroup.com/nsn/5990-00-061-3360>

**Body Material:**

Steel, corrosion resisting

**Body Style:**

Standard round a

**Pilot Diameter:**

Between 0.4995 inches and 0.5000 inches

**Overall Length:**

1.5750 inches

**Flange Diameter:**

Between 0.7450 inches and 0.7500 inches

**Flange Thickness:**

0.0620 inches

**Undercut Diameter:**

Between 0.6880 inches and 0.6910 inches

**Undercut Width:**

0.0620 inches

**Shaft Diameter:**

0.0895 inches single shaft and 0.0900 inches single shaft

**Shaft Length:**

0.3750 inches single shaft

**Body Size:**

8

**Rotor Input Voltage Rating In Volts:**

26.0

**Frequency In Hertz:**

400.0

**Rotor Input Current Rating:**

120.0 milliamperes

**Rotor Input Electrical Power Rating:**

600.0 milliwatts

**Zro Resistance In Ohms:**

39.00

**Zso Resistance In Ohms:**

11.00

**Zrs Resistance In Ohms:**

76.00

**Rotor Dc Resistance In Ohms:**

29.40

**Stator Dc Resistance In Ohms:**

11.50

**Phase Shift Angle In Deg:**

7.500 input to output

**Electrical Error Angular Range In Minutes:**

-7.0 to 7.0

**Torque Gradient Per Angular Deg:**

2000.0 millimeter-milligrams

**Pilot Length:**

0.0400 inches

**Mounting Surface To Terminal End Distance:**

1.2400 inches

**Terminal Location:**

Rear

**Plus J Zro Reactance In Ohms:**

225.00

**Shaft Slot Depth:**

0.0260 inches single shaft

**Plus J Zso Reactance In Ohms:**

39.00

**Shaft Slot Width:**

0.0250 inches single shaft

**Plus J Zrs Reactance In Ohms:**

24.00

**Shaft Type:**

Round, slotted single shaft

**Terminal Type And Quantity:**

5 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A07800