NSN 5990-00-068-4324

Control Transformer Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-068-4324	
Body Material:	
Steel, stainless	
Body Style:	
Standard round c	
Shoulder Diameter:	
Between 1.3115 inches and 1.3120 inches	
Pilot Diameter:	
Between 0.8745 inches and 0.8750 inches	
Overall Length:	
2.3120 inches	
Flange Diameter:	
Between 1.4320 inches and 1.4370 inches	
Flange Thickness:	
0.0930 inches	
Undercut Diameter:	
1.3120 inches	
Undercut Width:	
0.0780 inches	
Shaft Diameter:	
0.1870 inches single shaft and 0.1872 inches single shaft	
Shaft Length:	
0.5400 inches single shaft	
Maximum Tempurature Rise:	
10.0 degrees celsius	
Body Size:	
15	
Stator Input Voltage Rating In Volts:	
90.0	
Stator Input Current Rating:	
10.0 milliamperes	
Stator Input Electrical Power Rating:	
140.0 milliwatts	
Frequency In Hertz:	
400.0	

Zso Impedance Magnitude In Ohms:

Between 7800.00 and 9512.00

Zso Impedance Angle In Deg:

Between 77.80 and 84.50

Zrs Impedance Magnitude In Ohms:

Between 1050.00 and 1300.00

Zrs Impedance Angle In Deg:

Between 26.00 and 33.00

NSN 5990-00-068-4324

Control Transformer Synchro - Page 2 of 3



Phase Shift Angle In Deg: 5.500 input to output Maximum Fundamental Null Voltage In Millivolts Per Volt: 32.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 60.00 **Electrical Error Angular Range In Minutes:** -6.0 to 6.0 **Spline Tooth Quantity:** 21 single shaft **Torque Gradient Per Angular Deg:** 0.050 inch-ounces **Alignment Hole Quantity:** 4 Pilot Length: 0.0400 inches **Shoulder Length:** 0.1320 inches **Mounting Surface To Terminal End Distance:** 1.7720 inches **Spline Tooth Diametral Pitch:** 120 single shaft **Shaft Thread Series Designator:** Unf single shaft **Shaft Thread Direction:** Right-hand single shaft **Shaft Thread Class:** 2a single shaft **Terminal Location:** Rear **Shaft Thread Length:** 0.1850 inches single shaft **Shaft Type:** Spline w/threads single shaft **Alignment Hole Depth:** 0.1250 inches **Transformation Ratio:** 0.735 rotor to stator Alignment Hole Bolt Circle Diameter:

1.1000 inches

Shaft Thread Size:

0.190 inches single shaft

Test Data Document:

81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

NSN 5990-00-068-4324

Control Transformer Synchro - Page 3 of 3



l erminal	Type And	Quantity:
5 screw		

Specification Data:

81349-mil-s-20708/15 government specification

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A07800