NSN 5990-00-078-3182

Control Transformer Synchro - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5990-00-078-3182

Body Material:

Steel, corrosion resisting

Body Style:

Standard round c

Shoulder Diameter:

Between 1.5615 inches and 1.5620 inches

Pilot Diameter:

Between 0.9370 inches and 0.9375 inches

Overall Length:

3.0620 inches

Flange Diameter:

Between 1.7470 inches and 1.7500 inches

Flange Thickness:

Between 0.0900 inches and 0.0960 inches

Undercut Diameter:

Between 1.6220 inches and 1.6280 inches

Undercut Width:

0.0780 inches

Shaft Diameter:

0.1870 inches single shaft and 0.1872 inches single shaft

Shaft Length:

0.3790 inches single shaft and 0.3870 inches single shaft

Schematic Diagram Designator:

1 y-rotor, 1 stator

Fragility Factor:

Moderately rugged

Body Size:

18

Stator Input Voltage Rating In Volts:

90.0

Stator Input Current Rating:

7.0 milliamperes

Stator Input Electrical Power Rating:

100.0 milliwatts

Frequency In Hertz:

400.0

Zso Impedance Magnitude In Ohms:

13000.00

Zso Impedance Angle In Deg:

88.00

Rotor Dc Resistance In Ohms:

420.00

NSN 5990-00-078-3182

Control Transformer Synchro - Page 2 of 3



Stator Dc Resistance In Ohms: 675.00 Phase Shift Angle In Deg: 3.000 input to output Maximum Fundamental Null Voltage In Millivolts Per Volt: 30.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 45.00 **Electrical Error Angular Range In Minutes:** -6.0/+6.0 **Spline Tooth Quantity:** 21 single shaft **Actuator Friction Torque At Plus 25 Deg Celsius:** 0.10 inch-ounces **Alignment Hole Quantity: Shaft Radial Play Test Point:** 0.125 inches **Shaft Maximum Radial Play:** 0.0008 inches **Shaft End Play:** 0.0030 inches **Pilot Length:** 0.0370 mils and 0.0430 centimeters **Shoulder Length:** 0.1290 mils and 0.1350 centimeters **Mounting Surface To Terminal End Distance:** 2.5230 inches **Spline Tooth Diametral Pitch:** 120 single shaft **Shaft Maximum Runout:** 0.0008 inches **Shaft Thread Series Designator:** Unf single shaft **Shaft Thread Direction:** Right-hand single shaft **Shaft Thread Class:** 2a single shaft **Terminal Location:** Rear **Shaft Thread Length:**

Shaft Type:

Spline w/threads single shaft

0.3550 inches single shaft

NSN 5990-00-078-3182 Control Transformer Synchro - Page 3 of 3



Alignment Hole Depth:
0.1250 inches
Transformation Ratio:
0.735 rotor to stator
Alignment Hole Bolt Circle Diameter:
1.2500 inches
Shaft Thread Size:
0.190 inches single shaft
Shaft Radial Play Determining Weight:
16.0 ounces
Shaft End Play Determining Weight:
16.0 ounces
Terminal Type And Quantity:
5 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A07800