

View Online at https://aerobasegroup.com/nsn/5990-00-097-7642

Body Material:
Steel, stainless
Body Style:
Standard round d
Shoulder Diameter:
Between 1.9850 inches and 1.9900 inches
Pilot Diameter:
0.5950 inches
Second Shoulder Diameter:
Between 1.9985 inches and 1.9995 inches
Second Shoulder Length:
0.1700 inches
Overall Length:
4.5490 inches
Flange Diameter:
Between 2.2490 inches and 2.2500 inches
Flange Thickness:
0.2500 inches
Body Diameter:
1.9900 inches
Shaft Diameter:
0.2403 inches single shaft and 0.2405 inches single shaft
Shaft Length:
0.7190 inches single shaft
Fragility Factor:
Moderately rugged
Maximum Tempurature Rise:
20.0 degrees celsius
Body Size:
23
Stator Input Voltage Rating In Volts:
90.0
Stator Input Current Rating:
90.0 milliamperes
Stator Input Electrical Power Rating:
1.4 watts
Frequency In Hertz:
60.0
Zso Impedance Magnitude In Ohms:
Between 867.00 and 1100.00
Zso Impedance Angle In Deg:
Between 75.00 and 79.00



Zrs Impedance Magnitude In Ohms: Between 448.00 and 550.00 Zrs Impedance Angle In Deg: Between 14.50 and 23.00 Phase Shift Angle In Deg: 11.000 input to output Maximum Fundamental Null Voltage In Millivolts Per Volt: 40.00 output Maximum Total Null Voltage Output In Millivolts Per Volt: 65.00 **Electrical Error Angular Range In Minutes:** -8.0/+8.0 Spline Tooth Quantity: 22 single shaft **Torque Gradient Per Angular Deg:** 0.200 inch-ounces **Pilot Length:** 0.0430 inches Shoulder Length: 0.2500 inches Aft Of First Flange Diameter: Between 1.9985 inches and 1.9995 inches Mounting Surface To Terminal End Distance: 3.8300 inches **Spline Tooth Diametral Pitch:** 96 single shaft Shaft Thread Series Designator: Unf single shaft **Shaft Thread Direction:** Right-hand single shaft Shaft Thread Class: 2a single shaft **Terminal Location:** Rear Shaft Thread Length: 0.2900 inches single shaft Shaft Type: Spline w/threads single shaft **Transformation Ratio:** 1.154 rotor to stator Shaft Thread Size: 0.250 inches single shaft **Test Data Document:**

81349-mil-s-20708 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

NSN 5990-00-097-7642

Differential Transmitter Synchro - Page 3 of 3



Terminal Type And Quantity:

6 screw

Specification Data:

81349-mil-s-20708/54 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A07800