## NSN 5990-00-105-7096

Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-105-7096

Body Material:
Steel, stainless
Body Style:
Standard round c
Shoulder Diameter:
Between 0.9995 inches and 1.0000 inches
Pilot Diameter:
Between 0.6245 inches and 0.6250 inches
Overall Length:
Between 4.5350 inches and 4.5650 inches
Flange Diameter:
1.0620 inches
Flange Thickness:
0.0930 inches
Undercut Diameter:
0.9850 inches
Undercut Width:
0.0450 inches
Shaft Diameter:
0.1195 inches single shaft and 0.1200 inches single shaft
Shaft Length:
0.5230 inches single shaft and 0.5530 inches single shaft
Body Size:
13
Rotor Input Voltage Rating In Volts:
26.0
Frequency In Hertz:
400.0
Rotor Input Current Rating:
280.0 milliamperes
Rotor Input Electrical Power Rating:
1.11 watts
Zro Resistance In Ohms:
16.00
Zso Resistance In Ohms:
3.70
Zss Resistance In Ohms:
22.00
Rotor Dc Resistance In Ohms:
9.00
Stator Dc Resistance In Ohms:
3.00

## **NSN 5990-00-105-7096** Transmitter Synchro - Page 2 of 2



Phase Shift Angle In Deg:
8.000 input to output
Maximum Fundamental Null Voltage In Millivolts Per Volt:
17.00 output
Maximum Total Null Voltage Output In Millivolts Per Volt:
26.00
Pilot Length:
0.0620 inches
Shoulder Length:
0.0620 inches
Mounting Surface To Terminal End Distance:
4.0120 inches
Terminal Location:
Side
Plus J Zro Reactance In Ohms:
107.00
Shaft Slot Depth:
0.0200 inches single shaft and 0.0350 inches single shaft
Plus J Zso Reactance In Ohms:
18.10
Shaft Slot Width:
0.0200 inches single shaft and 0.0350 inches single shaft
Shaft Type:
Round, slotted single shaft
Plus J Zss Reactance In Ohms:
8.90
Transformation Ratio:
0.454 rotor to stator
Terminal Type And Quantity:
5 wire lead
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A07800