

View Online at <https://aerobasegroup.com/nsn/5990-00-107-0835>

**Body Material:**

Aluminum

**Body Style:**

Standard round b

**Shoulder Diameter:**

Between 0.9995 inches and 1.0000 inches

**Pilot Diameter:**

0.5000 inches

**Overall Length:**

2.0150 inches

**Flange Diameter:**

Between 1.0610 inches and 1.0620 inches

**Flange Thickness:**

0.0620 inches

**Undercut Width:**

0.0810 inches

**Shaft Diameter:**

0.1195 inches single shaft and 0.1120 inches single shaft

**Shaft Length:**

0.3750 inches single shaft

**Body Size:**

11

**Stator Input Voltage Rating In Volts:**

10.2

**Frequency In Hertz:**

400.0

**Zro Resistance In Ohms:**

14.00

**Zso Resistance In Ohms:**

16.00

**Zrs Resistance In Ohms:**

13.20

**Phase Shift Angle In Deg:**

6.000 input to output

**Electrical Error Angular Range In Minutes:**

-12.0 to 12.0

**Actuator Friction Torque At Minus 55 Deg Celsius:**

15.00 centimeter-grams

**Actuator Friction Torque At Plus 25 Deg Celsius:**

7.00 centimeter-grams

**Pilot Length:**

0.0620 inches

**Shoulder Length:**

0.0620 inches

**Mounting Surface To Terminal End Distance:**

1.5780 inches

**Terminal Location:**

Rear

**Plus J Zro Reactance In Ohms:**

66.00

**Shaft Slot Depth:**

0.0220 inches single shaft and 0.0320 inches single shaft

**Plus J Zso Reactance In Ohms:**

72.00

**Shaft Slot Width:**

0.0220 inches single shaft and 0.0320 inches single shaft

**Plus J Zrs Reactance In Ohms:**

6.80

**Shaft Type:**

Round, slotted single shaft

**Terminal Type And Quantity:**

6 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07800