

View Online at <https://aerobasegroup.com/nsn/5990-00-115-2374>

**Body Material:**

Any acceptable

**Body Style:**

Standard round a

**Pilot Diameter:**

0.5000 inches

**Overall Length:**

1.8390 inches

**Flange Diameter:**

0.7500 inches

**Flange Thickness:**

0.0620 inches

**Undercut Diameter:**

0.6910 inches

**Undercut Width:**

0.0620 inches

**Shaft Diameter:**

0.1200 inches single shaft

**Shaft Length:**

0.3680 inches single shaft and 0.3820 inches single shaft

**Fragility Factor:**

Moderately rugged

**Body Size:**

8

**Rotor Input Voltage Rating In Volts:**

26.0

**Frequency In Hertz:**

400.0

**Rotor Input Current Rating:**

85.0 milliamperes

**Rotor Input Electrical Power Rating:**

500.0 allqjaa3.500 finished-chamfered

**Zro Resistance In Ohms:**

70.00

**Zso Resistance In Ohms:**

16.50

**Zrs Resistance In Ohms:**

127.20

**Zss Resistance In Ohms:**

127.20

**Rotor Dc Resistance In Ohms:**

50.00

**Stator Dc Resistance In Ohms:**

16.00

**Phase Shift Angle In Deg:**

9.500 input to output

**Maximum Total Null Voltage Output In Millivolts Per Volt:**

30.00

**Actuator Friction Torque At Minus 55 Deg Celsius:**

9.0 centimeter-grams

**Actuator Friction Torque At Plus 25 Deg Celsius:**

3.0 centimeter-grams

**Pilot Length:**

0.0430 inches

**Mounting Surface To Terminal End Distance:**

1.4210 inches

**Terminal Location:**

Rear

**Plus J Zro Reactance In Ohms:**

305.00

**Shaft Slot Depth:**

0.0310 inches single shaft

**Plus J Zso Reactance In Ohms:**

50.00

**Shaft Slot Width:**

0.0310 inches single shaft

**Plus J Zrs Reactance In Ohms:**

23.00

**Shaft Type:**

Round, slotted single shaft

**Plus J Zss Reactance In Ohms:**

23.00

**Transformation Ratio:**

0.454 rotor to stator

**Terminal Type And Quantity:**

5 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A07800