

View Online at <https://aerobasegroup.com/nsn/5990-00-179-2536>

Body Material:

Steel, stainless

Body Style:

Standard round a

Pilot Diameter:

Between 0.4995 inches and 0.5000 inches

Overall Length:

Between 1.6280 inches and 1.6480 inches

Flange Diameter:

Between 0.7470 inches and 0.7500 inches

Flange Thickness:

0.0620 inches

Undercut Diameter:

Between 0.6890 inches and 0.6910 inches

Undercut Width:

0.0620 inches

Shaft Diameter:

0.1195 inches single shaft and 0.1200 inches single shaft

Shaft Length:

0.3880 inches single shaft and 0.4080 inches single shaft

Fragility Factor:

Moderately rugged

Body Size:

8

Stator Input Voltage Rating In Volts:

26.0

Stator Input Current Rating:

116.0 milliamperes

Stator Input Electrical Power Rating:

700.0 milliwatts

Frequency In Hertz:

400.0

Zro Resistance In Ohms:

50.00

Zso Resistance In Ohms:

50.00

Zrs Resistance In Ohms:

90.00

Rotor Dc Resistance In Ohms:

41.00

Stator Dc Resistance In Ohms:

50.00

Phase Shift Angle In Deg:

10.000 input to output

Maximum Total Null Voltage Output In Millivolts Per Volt:

30.00

Pilot Length:

Between 0.0380 inches and 0.0420 inches

Mounting Surface To Terminal End Distance:

1.2400 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

220.00

Plus J Zso Reactance In Ohms:

40.00

Plus J Zrs Reactance In Ohms:

110.00

Shaft Type:

Round single shaft

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A07800