NSN 5990-00-268-9075

Differential Transmitter Synchro - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5990-00-268-9075 **Body Material:** Aluminum **Body Style:** Standard round double flange b **Shoulder Diameter:** 4.2500 inches **Pilot Diameter:** 1.6250 inches **Overall Length:** 7.5300 inches Flange Diameter: 4.5000 inches Flange Thickness: Between 0.2510 inches and 0.2550 inches **Shaft Diameter:** 0.3500 inches single shaft **Shaft Length:** 0.9700 inches single shaft **Shaft Undercut Width:** 0.0700 inches single shaft **Fragility Factor:** Moderately rugged **Distance Between Flanges:** 2.2500 inches **Maximum Tempurature Rise:** 50.0 degrees celsius **Body Size:** 45 **Stator Input Voltage Rating In Volts:** 90.0 **Stator Input Current Rating:** 2.0 amperes **Stator Input Electrical Power Rating: Electrical Error Angular Range In Minutes:**

23.0 watts Frequency In Hertz: -18.0/+18.0 **Torque Gradient Per Angular Deg:** 4.000 inch-ounces **Pilot Length:** 0.3130 inches

NSN 5990-00-268-9075 Differential Transmitter Synchro - Page 2 of 2



Shoulder Length:
1.1870 inches
Shaft Thread Series Designator:
Unf single shaft
Shaft Thread Direction:
Right-hand single shaft
Shaft Thread Class:
3a
Terminal Location:
Rear
Shaft Tapered End Minor Diameter:
0.2500 inches single shaft
Shaft Type:
Round, tapered, threaded, undercut single shaft
Shaft Taper Angle In Deg:
3.0 single shaft
Shaft Tip Length:
0.2120 inches single shaft
Shaft Taper Length:
0.3750 inches single shaft
Shaft Thread Size:
0.250 inches single shaft
Shaft Undercut Diameter:
0.2190 inches single shaft
Special Features:
Shaft to be fitted with no. 00 wood ruff key whitney no. 207
Test Data Document:
81349-mil-s-2335 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
6 screw
Specification Data:
81349-mil-s-2335 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A07800