

View Online at <https://aerobasegroup.com/nsn/5990-00-455-9865>

Body Material:

Steel, corrosion resisting

Body Style:

Standard round c

Shoulder Diameter:

1.0000 inches

Pilot Diameter:

0.6250 inches

Overall Length:

2.3720 inches

Flange Diameter:

1.0620 inches

Flange Thickness:

0.0930 inches

Undercut Diameter:

0.9750 inches

Undercut Width:

0.0500 inches

Shaft Diameter:

0.1200 inches single shaft

Shaft Length:

0.5310 inches single shaft

Schematic Diagram Designator:

1 rotor, 2 stator

Fragility Factor:

Moderately rugged

Body Size:

11

Rotor Input Voltage Rating In Volts:

26.0

Frequency In Hertz:

400.0

Rotor Input Current Rating:

520.0 milliamperes

Rotor Input Electrical Power Rating:

340.0 milliwatts

Zro Impedance Magnitude In Ohms:

550.00

Zro Impedance Angle In Deg:

78.10

Zso Impedance Magnitude In Ohms:

150.00

Zso Impedance Angle In Deg:

80.30

Zrs Impedance Magnitude In Ohms:

159.50

Zrs Impedance Angle In Deg:

24.70

Phase Shift Angle In Deg:

8.000 input to output

Maximum Fundamental Null Voltage In Millivolts Per Volt:

18.00 output

Maximum Total Null Voltage Output In Millivolts Per Volt:

30.00

Electrical Error Angular Range In Minutes:

-10.0/+10.0

Actuator Friction Torque At Minus 55 Deg Celsius:

16.0 centimeter-grams

Actuator Friction Torque At Plus 25 Deg Celsius:

4.0 centimeter-grams

Shaft Radial Play Test Point:

0.125 inches

Shaft Maximum Radial Play:

0.0005 inches

Shaft End Play:

Between 0.0005 inches and 0.0015 inches

Terminal Designator And Schematic Position:

Connection r1 position b and connection r2 position a and connection r3 position c and connection s1 position j and connection s2 position f and connection s3 position h and connection s4 position e

Pilot Length:

0.0620 inches

Shoulder Length:

0.0620 inches

Mounting Surface To Terminal End Distance:

1.7030 inches

Shaft Maximum Runout:

0.0008 inches

Terminal Location:

Rear

Shaft Slot Depth:

0.0300 inches single shaft

Shaft Slot Width:

0.0250 inches single shaft

Shaft Type:

Round, slotted single shaft

Transformation Ratio:

484.000 stator to rotor

Shaft Radial Play Determining Weight:

4.0 ounces

Shaft End Play Determining Weight:

16.0 ounces

Terminal Type And Quantity:

7 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A07800