

View Online at <https://aerobasegroup.com/nsn/5990-00-462-9111>

Body Material:

Steel, stainless

Body Style:

Standard round a

Pilot Diameter:

Between 0.4995 inches and 0.5000 inches

Overall Length:

Between 1.7260 inches and 1.7560 inches

Flange Diameter:

Between 0.7470 inches and 0.7500 inches

Flange Thickness:

0.0620 inches

Undercut Diameter:

Between 0.6880 inches and 0.6910 inches

Undercut Width:

0.0620 inches

Shaft Diameter:

0.0895 inches single shaft and 0.0900 inches single shaft

Shaft Length:

0.4850 inches single shaft and 0.5150 inches single shaft

Body Size:

8

Stator Input Voltage Rating In Volts:

11.8

Stator Input Current Rating:

24.2 milliamperes

Stator Input Electrical Power Rating:

Between 46.0 watts and 70.0 watts

Frequency In Hertz:

400.0

Zro Resistance In Ohms:

Between 796.00 and 1076.00

Zso Resistance In Ohms:

Between 102.00 and 138.00

Zrs Resistance In Ohms:

Between 935.00 and 1265.00

Rotor Dc Resistance In Ohms:

Between 516.00 and 734.00

Stator Dc Resistance In Ohms:

Between 89.00 and 127.00

Phase Shift Angle In Deg:

9.200 input to output

Maximum Fundamental Null Voltage In Millivolts Per Volt:

22.00 output

Maximum Total Null Voltage Output In Millivolts Per Volt:

30.00

Electrical Error Angular Range In Minutes:

-15.0/+15.0

Actuator Friction Torque At Minus 55 Deg Celsius:

16.0 centimeter-grams

Actuator Friction Torque At Plus 25 Deg Celsius:

4.0 centimeter-grams

Pilot Length:

0.0400 inches

Mounting Surface To Terminal End Distance:

1.2410 inches

Terminal Location:

Rear

Plus J Zro Reactance In Ohms:

Between 2340.00 and 2860.00

Shaft Slot Depth:

0.0300 inches single shaft

Plus J Zso Reactance In Ohms:

Between 382.50 and 517.50

Shaft Slot Width:

0.0250 inches single shaft

Plus J Zrs Reactance In Ohms:

Between 255.00 and 345.00

Shaft Type:

Round, slotted single shaft

Terminal Type And Quantity:

5 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A07800